

## **START Publications**

**\*START: AV Publication**

### **Forthcoming**

\*Sher, M.A., Warner, L., McLean, A., Rowe, K., & Gralton, E. (in press). A prospective validation of the START: AV. *Journal of Forensic Practice*.

### **2016**

Alderman, N., Major, G., & Brooks, J. (2016). What can structured professional judgement tools contribute to management of neurobehavioural disability? Predictive validity of the Short-Term Assessment of Risk and Treatability (START) in acquired brain injury. *Neuropsychological Rehabilitation*. doi: 10.1080/09602011.2016.1158115

Hogan, N.R., & Olver, M.E. (2016). Assessing risk for aggression in forensic psychiatric inpatients: An examination of five measures. *Law and Human Behavior, 40*(3), 233-243.

O'Shea, L.E., & Dickens, G.L. (2016). Role of assessment components and recent adverse outcomes in risk estimation and prediction: Use of the Short-Term Assessment of Risk and Treatability (START) in an adult secure inpatient mental health service. *Psychiatry Research, 240*, 398-405.

\*Viljoen, J.L., Gray, A.L., & Barone, C. (2016). Assessing risk for violence and offending in adolescents. In R. Jackson & R. Roesch (Eds.), *Learning forensic assessment: Research and practice* (pp. 357-388). New York, NY: Routledge.

Viljoen, S., Nicholls, T.L., Roesch, R., Gagnon, N., Douglas, K., & Brink, J. (2016). Exploring gender differences in the utility of strength-based risk assessment measures. *International Journal of Forensic Mental Health, 15*(2), 149-163.

### **2015**

Dickens, G.L. (2015). Re-focusing risk assessment in forensic mental health nursing. *Journal of Psychiatric and Mental Health Nursing, 22*, 461-462.

Dickens, G.L., & O'Shea, L.E. (2015). How short should short-term risk assessment be? Determining the optimum interval for START reassessment in a secure mental health service. *Journal of Psychiatric and Mental Health Nursing, 22*(6), 397-406.

Livingston, J.D., Chu, K., Milne, T., & Brink, J. (2015). Probationers mandated to receive forensic mental health services in Canada: Risks/needs, service delivery, and intermediate outcomes. *Psychology, Public Policy and Law, 21*(1), 72-84.

- Long, C.G., Fulton, B., & Dolley, O. (2015). Using psychoeducation to motivate engagement for women with personality disorder in secure settings. *Journal of Psychiatric Intensive Care*, *11*(1), 18-26.
- O'Shea, L.E., & Dickens, G.L. (2015). Predictive validity of the Short-Term Assessment of Risk and Treatability (START) for aggression and self-harm in a secure mental health service: Gender differences. *International Journal of Forensic Mental Health*, *14*(2), 132-146.
- O'Shea, L.E., & Dickens, G.L. (2015). Predictive validity of the START for unauthorised leave and substance abuse in a secure mental health setting: A pseudo-prospective cohort study. *International Journal of Nursing Studies*, *52*(5), 970-979 doi: 10.1016/j.ijnurstu.2015.02.007
- O'Shea, L.E., Picchioni, M.M., & Dickens, G.L. (2015). The predictive validity of the Short-Term Assessment of Risk and Treatability (START) for multiple adverse outcomes in a secure psychiatric inpatient setting. *Assessment*, *23*(2), 150-162.
- Troquete, N.A.C., van den Brink, R.H.S., Beintema, H., Mulder, T., van Os, T.W.D.P., Schoevers, R.A., & Wiersma, D. (2015). Predictive validity of the Short-Term Assessment of Risk and Treatability for violent behavior in outpatient forensic psychiatric patients. *Psychological Assessment*, *27*(2), 377-391.
- van den Brink, R.H.S., Troquete, N.A.C., Beintema, H., Mulder, T., van Os, T.W.D.P., Schoevers, R.A., & Wiersma, D. (2015). Risk assessment by client and case manager for shared decision making in outpatient forensic psychiatry. *BMC Psychiatry*, *15*, 120.
- Webster, C.D., Martin, M.-L., Brink, J., Nicholls, T.L., & Desmarais, S.L. (2015). START: Beurteilung von Zeitnahen Risiken und Behandelbarkeit mit dem [START: Short-Term Assessment of Risk and Treatability – German Translation]. (P. Born, W. Schmidbauer, & R. Müller-Isberner, Trans.). Haina, Germany: Institut für Forensische Psychiatrie Haina e.V.

## 2014

- Inett, A., Wright, G., Roberts, L., & Sheeran, A. (2014). Predictive validity of the START with intellectually disabled offenders. *Journal of Forensic Practice*, *16*(1), 78-88. doi:10.1108/JFP-12-2012-0029
- O'Shea, L. E., & Dickens, G. L. (2014). Short-term assessment of risk and treatability (START): Systematic review and meta-analysis. *Psychological Assessment*, *26*(3), 990-1002. doi:10.1037/a0036794
- \*Sher, M.A., & Gralton, E. (2014). Implementation of the START:AV in a secure adolescent service. *Journal of Forensic Practice*, *16*(3), 184-193.

- Singh, J.P., Desmarais, S.L., Hurducas, C., Arbach-Lucioni, K., Condemarin, C., Dean, K.,...Otto, R.K. (2014). International perspectives on the practical application of violence risk assessment: A global survey of 44 countries. *International Journal of Forensic Mental Health, 13*(3), 193-206. doi:10.1080/14999013.2014.922141
- \*Singh, J.P., Desmarais, S.L., Sellers, B.G., Hylton, T., Tirotti, M., & Van Dorn, R.A. (2014). From risk assessment to risk management: Matching interventions to adolescent offenders' strengths and vulnerabilities. *Children and Youth Services Review, 47*(1), 1-9. doi: 10.1016/j.chilyouth.2013.09.015
- Shinkfield,G., & Ogloff, J. (2014). A review and analysis of routine outcome measures for forensic mental health services. *International Journal of Forensic Mental Health, 13*(3), 252-271. doi:10.1080/14999013.2014.939788
- \*Viljoen, J.L., Nicholls, T.L., Cruise, K.R., Desmarais, S.L., & Webster, C.D. (2014). *Short-Term Assessment of Risk and Treatability: Adolescent Version (START:AV) User Guide*. Burnaby, BC: The Mental Health Law and Policy Institute, Simon Fraser University.
- Walji, I., Egan, V., Fonseca, A., & Huxley, A. (2014). The relationship between violence, level of functioning, and treatment outcome in psychiatric inpatients. *Journal of Forensic Practice, 16*(4), 295-303.
- \*Webster, C.D., & Bélisle, E. (2014). How literature can add value to structured professional judgments of violence risks: An illustrative rare risk example inspired by Alice Munro's *Child Play*. *Archives of Forensic Psychology, 1*(1), 14-26.
- Webster, C.D., Martin, M.-L., Brink, J., Nicholls, T.L. & Desmarais, S.L. (2014). START: Lyhyen Aikavälin Riskin Ja Hoidettavuuden Arvio [START: Short-Term Assessment of Risk and Treatability – Finnish Translation]. (G. Weizmann-Henelius & V. Kinnunen, Trans.). Helsinki, Finland: Hogrefe Psychologien Kustannus.
- Whittington, R., Bjørngaard, J., Brown, A., Nathan, R., Noblett, S., & Quinn, B. (2014) Dynamic relationship between multiple START assessments and violent incidents over time: A prospective cohort study. *BMC Psychiatry, 14*, 323. doi: 10.1186/s12888-014-0323-7

## 2013

- Abidin, Z., Davoren, M., Naughton, L., Gibbons, O., Nulty, A., & Kennedy, H.G. (2013). Susceptibility (risk and protective) factors for in-patient violence and self-harm: prospective study of structured professional judgement instruments START and SAPROF, DUNDRUM-3 and DUNDRUM-4 in forensic mental health services. *BMC Psychiatry, 13*, 197-215. doi: 10.1186/1471-244X-13-197

Quinn, R., Miles, H., & Kinane, C. (2013). The validity of the Short-Term Assessment of Risk and Treatability (START) in a UK medium secure forensic mental health service. *International Journal of Forensic Mental Health, 12*(3), 215-224. doi: 10.1080/14999013.2013.832714

Troquete, N. C., van den Brink, R. S., Beintema, H. H., Mulder, T. T., van Os, T. P., Schoevers, R. A., & Wiersma, D. D. (2013). Risk assessment and shared care planning in out-patient forensic psychiatry: Cluster randomised controlled trial. *The British Journal of Psychiatry, 202*(5), 365-371. doi: 10.1192/bjp.bp.112.113043

Wilson, C. M., Desmarais, S. L., Nicholls, T. L., Hart, S. D., & Brink, J. (2013). Predictive validity of dynamic factors: Assessing violence risk in forensic psychiatric inpatients. *Law and Human Behavior, 37*(6), 377-388. doi:10.1037/lhb0000025

## 2012

Desmarais, S.L., Nicholls, T.L., Wilson, C.M. & Brink, J. (2012). Using dynamic risk and protective factors to predict inpatient aggression: Reliability and validity of the START assessments. *Psychological Assessment, 24*(3), 685-700. doi: 10.1037/a0026668

\*Desmarais, S. L., Sellers, B. G., Viljoen, J. L., Cruise, K. R., Nicholls, T. L., & Dvoskin, J. A. (2012). Pilot implementation and preliminary evaluation of START: AV assessments in secure juvenile correctional facilities. *International Journal of Forensic Mental Health, 11*(3), 150-164. doi: 10.1080/14999013.2012.737405

Desmarais, S.L., Van Dorn, R., Telford, R.P., Petrila, J. & Coffey, T. (2012) Characteristics of START assessments completed in mental health jail diversion programs. *Behavioral Sciences & the Law, 30*(4), 448 – 469. doi: 10.1002/bsl.2022

Doyle, M. & Logan, C. (2012). Operationalizing the assessment and management of violence risk in the short-term. *Behavioral Sciences and the Law, 30*, 406 – 419. doi: 10.1002/bsl.2017

\*Viljoen, J. L., Beneteau, J. L., Gulbransen, E., Brodersen, E., Desmarais, S. L., Nicholls, T. L., & Cruise, K. R. (2012). Assessment of multiple risk outcomes, strengths, and change with the START:AV: A short-term prospective study with adolescent offenders. *International Journal of Forensic Mental Health, 11*(3), 165-180. doi: 10.1080/14999013.2012.737407

\*Viljoen, J. L., Cruise, K. R., Nicholls, T. L., Desmarais, S. L., & Webster, C. D. (2012). Taking stock and taking steps: The case for an adolescent version of the Short-Term Assessment of Risk and Treatability. *International Journal of Forensic Mental Health, 11*(3), 135-149. doi: 10.1080/14999013.2012.737406

2011

- Chu, C.M., Thomas, S.D.M., Ogloff, J.R.P., & Daffern, M. (2011). The short to medium term predictive accuracy of static and dynamic risk assessment measures in a secure forensic hospital. *Assessment, 20*(2), 230-241. doi: 10.1177/1073191111418298
- Chu, C., Thomas, S.D. M., Ogloff, J. P., & Daffern, M. (2011). The predictive validity of the Short-Term Assessment of Risk and Treatability (START) in a secure forensic hospital: Risk factors and strengths. *International Journal of Forensic Mental Health, 10*(4), 337-345. doi: 10.1080/14999013.2011.629715
- Crocker, A.G., Braithwaite, E., Laferrière, D., Gagnon, D., Venegas, C., & Jenkins, T. (2011). START changing practice: Implementing a risk assessment and management tool in a civil psychiatric setting. *International Journal of Forensic Mental Health, 10*, 13-28. doi: 10.1080/14999013.2011.553146
- Crocker, A. G., Webster, C. D., Martin, M-L., **Brink, J.**, Nicholls, T. L., & Desmarais, S. L. (2011). *Evaluation du risqué a court terme et traitabilite: un guide d'évaluation et de planification. Version 1.2. Version française du START.* [Short-Term Assessment of Risk and Treatability – French Translation]. Montreal, Quebec: Douglas Mental Health University Institute.
- de Ruiter, C. & Nicholls, T. L., (2011). Protective factors in forensic psychiatry: A new frontier. *International Journal of Forensic Mental Health, 10*(3), 160-170. doi: 10.1080/14999013.2011.600602
- Gray, N.S., Benson, R., Craig, R., Davies, H., Fitzgerald, S., Huckle, P., Maggs, R., Taylor, J., Trueman, M., Williams, T. & Snowden, R.J. (2011). The Short-Term Assessment of Risk and Treatability (START): A prospective study of inpatient behaviour. *International Journal of Forensic Mental Health, 10*(3), 305-313. doi: 10.1080/14999013.2011.631692
- Kroppan, E., Nettet, M. B., Nonstad, K., Pedersen, T. W., Almvik, R., & Palmstierna, T. (2011). Implementation of the Short-Term Assessment of Risk and Treatability (START) in a forensic high secure unit. *International Journal of Forensic Mental Health, 10*(3), 7-12. doi: 10.1080/14999013.2011.552368
- Nicholls, T. L., Petersen, K., Brink, J., & Webster, C. (2011). A clinical risk profile of forensic psychiatric patients: Treatment team STARTs in a Canadian service. *International Journal of Forensic Mental Health, 10*(3), 187-199. doi: 10.1080/14999013.2011.600234
- Singh, J.P., Serper, M., Reinharth, J. & Fazel, S. (2011). Structured assessment of violence risk in schizophrenia and other psychiatric disorders: A systematic review of the validity, reliability, and item content of 10 available instruments. *Schizophrenia Bulletin, 37*(5), 899-912. doi:10.1093/schbul/sbr093

Viljoen, S., Nicholls, T.L., Greaves, C., de Ruiter, C., & Brink, J. (2011) Resilience and successful community reintegration among female forensic psychiatric patients: A preliminary investigation. *Behavioral Sciences and the Law*, 29(5), 752-770. doi: 10.1002/bsl.1001

Webster, C.D. (2011). From flipping the coin to seeing both its sides. *Journal of Psychiatric Intensive Care*, 7(2), 73-78. doi:10.1017/S174264641100015X

## 2010

Braithwaite, E., Charette, Y., Crocker, A.G. & Reyes, A. (2010). The predictive validity of clinical ratings of the Short-Term Assessment of Risk and Treatability (START). *International Journal of Forensic Mental Health Services*, 9, 271 – 281. doi: 10.1080/14999013.2010.534378

Desmarais, S.L., Nicholls, T.L., Read, J.D. & Brink, J. (2010). Confidence and accuracy in assessments of short-term risks presented by forensic psychiatric patients. *Journal of Forensic Psychology*, 21, 1-22. doi: 10.1080/14789940903183932

\*Nicholls, T.L., Viljoen, J., Cruise, K., Desmarais, S.L. & Webster, C.D. (2010). *Short-Term Assessment of Risk and Treatability: Adolescent Version (START:AV)* (Abbreviated Manual). Port Coquitlam, Canada: BC Mental Health and Addictions Services.

Nonstad, K., Nasset, M.B., Kroppan, E., Pedersen, T.W., Nottestad, J.A., Almvik, R., & Palmstierna, T. (2010). Predictive validity and other psychometric properties of the Short-Term Assessment of Risk and Treatability (START) in a Norwegian high secure hospital. *International Journal of Forensic Mental Health Services*, 9, 294-299. doi: 10.1080/14999013.2010.534958

Sakdalan, J.A., Shaw, J. & Collier, V. (2010). Staying in the here-and-now: A pilot study on the use of dialectical behaviour therapy group skills training for forensic clients with intellectual disability. *Journal of Intellectual Disability Research*, 54(6), 568-572. doi:10.1111/j.1365-2788.2010.01274.x

Wilson, C.M, Desmarais, S.L., Nicholls, T.L. & Brink, J. (2010). The role of client strengths in assessments of risk using the Short-Term Assessment of Risk and Treatability (START). *International Journal of Forensic Mental Health Services*, 9, 282-293. doi: 10.1080/14999013.2010.534694

## 2009

Khiroya, R., Weaver, T., Maden, T. (2009). Use and perceived utility of structured violence risk assessments in English medium secure forensic units. *Psychiatric Bulletin*, 33, 129-132. doi: 10.1192/pb.bp.108.019810

T'Lam, K., Lancel, M., Hildebrand, M., Webster, C. D., Martin, M-L., **Brink, J.**, Nicholls, T. L., & Middleton, C. (2009). *Handleiding bij de Short-Term Assessment of Risk and Treatability (START)* [Short-Term Assessment of Risk and Treatability – Dutch Translation]. GGZ Drenthe.

Webster, C. D., Martin, M. L., Brink, J., Nicholls, T. L., & Desmarais, S. (2009). *Manual for the Short-Term Assessment of Risk and Treatability (START)* (Version 1.1). Port Coquitlam, BC: Forensic Psychiatric Services Commission and St. Joseph's Healthcare.

## **2008**

Carroll, A. (2008). Risk assessment and management in practice: The *Forensicare* risk assessment and management exercise. *Australasian Psychiatry*, 16, 412-417. doi:10.1080/10398560802068942

Crocker, A.G., Garcia, A., Israël, M., Hindle, Y., Gagnon, D., Venegas, C., Braithwaite, E., & Roy, M-È. (2008). *Implementing and using a systematic risk assessment scheme to increase patient safety on a risk management unit for individuals with severe mental illness: A demonstration project*. Edmonton, Canada: Canadian Patient Safety Institute.

Doyle, M., Lewis, G., & Brisbane, M. (2008). Implementing the Short-Term Assessment of Risk and Treatability (START) in a forensic mental health service. *Psychiatric Bulletin*, 32, 406-408. doi: 10.1192/pb.bp.108.019794

Haque, Q., Cree, A., Webster, C. & Hasnie, B. (2008). Best practice in managing violence and related risks. *Psychiatric Bulletin*, 32, 403-405. doi: 10.1192/pb.bp.108.019927

## **2007**

Daffern, M. (2007). The predictive validity and practical utility of structured schemes used to assess risk for aggression in psychiatric inpatient settings. *Aggression and Violent Behavior*, 12, 116-130. doi: 10.1016/j.avb.2006.03.005

Department of Health. (2007). *Best practice in managing risk: principles and guidance for best practice in the assessment and management of risk to self and others in mental health services*. London: Author.

Desmarais, S.L., Webster, C.D., Martin, M-L., Dassinger, C., Brink, J. & Nicholls, T.L. (2007). *Short-Term Assessment of Risk and Treatability (START): Instructors' guide and workbook* (Version 2). Coquitlam, Canada: Forensic Psychiatric Services Commission.

Martin, M-L. (2007). Transitions. In C.D. Webster and S. Hucker (Eds). *Violence risk assessment and management*. West Sussex, England: John Wiley & Sons Ltd.

Nicholls, T.L., Brink, J., Desmarais, S.L., Webster, C.D. & Martin, M-L. (2007). The Short-Term Assessment of Risk and Treatability (START): A prospective validation study in a forensic psychiatric sample. In H. Bloom and C.D. Webster (Eds.), *Essential writing in violence risk assessment and management*. Toronto: Centre for Addictions and Mental Health.

Nicholls T. L., Gagnon N., Crocker A.G., Brink, J., Desmarais, S., & Webster, C. (2007). START Outcomes Scale (SOS). Vancouver, BC Mental Health & Addiction Services.

Nicholls, T.L., Webster, C.D., Brink, J., Martin, M-L. (2007). Short-Term Assessment of Risk and Treatability. In B. Cutler & P. Zapf (Eds.), *Encyclopaedia of Psychology and Law*. Thousand Oaks, CA: Sage.

## **2006**

Nicholls, T.L., Brink, J., Desmarais, S.L., Webster, C.D., & Martin, M-L. (2006). The Short-Term Assessment of Risk and Treatability (START): A prospective validation study in a forensic sample. *Assessment*, *13*, 313-327. doi: 10.1177/1073191106290559

Webster, C.D., Nicholls, T.L., Martin, M-L., Desmarais, S.L., & Brink, J. (2006). Short-Term Assessment of Risk and Treatability (START): The case for a new structured professional judgment scheme. *Behavioural Sciences and the Law*, *24*, 747-766. doi: 10.1002/bsl.737

## **2005**

Kroppan, E., Nonstad, K., Pedersen, T., Goksøyr, P. K., Eik-Nes, N., Wolffe, L., Wassmo, H., Wold, T. E., & Gullhaugen, A. (2005). *START, Kort-Tids Vurdering av Risiko og Behandling* [Short-Term Assessment of Risk and Treatability – Norwegian Translation]. Trondheim, Norway: St. Olavs Hospital, Regional Security Hospital and Research Centre.

## **2004**

Brink, J. & Livingston, J. (2004). Preliminary research: Testing the utility and acceptability of the START (a precursor to the START). In C.D. Webster, M.-L. Martin, J. Brink, T.L. Nicholls & C. Middleton, *Manual for the Short-Term Assessment of Risk and Treatability (START), Version 1.0 Consultation Edition* (pp. 87-95). Hamilton, Canada: St. Joseph's Healthcare; Port Coquitlam, Canada: Forensic Psychiatric Services Commission.



Webster, C. D., Martin, M. L., Brink, J., Nicholls, T. L., & Middleton, C. (2004). *Manual for the Short-Term Assessment of Risk and Treatability (START)* (Version 1.0 Consultation Edition). Port Coquitlam, BC: Forensic Psychiatric Services Commission and St. Joseph's Healthcare.